


LIGHT
34

The man who has no imagination has no wings
Muhammad Ali

LIGHT34 AYDINLATMA SAN. TİC. LTD. ŞTİ.

İkitelli osb triko center m9 no:9
Başakşehir / İSTANBUL / TURKEY
+90 212 485 55 11 - +90 212 671 55 12
www.light34.com - www.aydinlatmax.com





Our company is a new company which established in 2014. Despite that we have both young and experienced dynamic individual staff. Our global mission always is keeping on mind that significance of designing and innovation in production. In the same time we aim building reputation and become a famous brand in worldwide. We bring new solutions for your designs suitable for your projects instead of re-adapting other products in the market. Thus, we can produce a brand new products that has been never seen before. In addition, our aim is achieving that presenting a wide set of products which can appeal to every kind of taste..



LIGHT
34

LIGHT
34



LIGHT
34

LIGHT
34




LIGHT
34



LIGHT
34

systola



300
100
LGT 001



82
29
LGT 003



77
48
LGT 005



55
33
LGT 007



70
24
LGT 009



300
70
LGT 010

clusiana



68
29
LGT 002



110
29
LGT 004



100
24
LGT 006



55
24
LGT 008

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015
 TSE
 CE

CE
 TSE
 ISO 9001:2015
 230 V 50 Hz

 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34



300
100
LGT 011



68
28
LGT 013




60
45
LGT 015



86
49
LGT 017



87
30
LGT 099



300
105
LGT 020



55
28
LGT 012



100
28
LGT 014



155
30
LGT 016



94
30
LGT 018

butkovii

tulipa

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015

 CE

CE

 ISO 9001:2015
 230 V 50 Hz

 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34



LGT 021
600
180



LGT 023
85
37



LGT 025
90
51



LGT 027
85
61



LGT 028
325
50



LGT 029
400
160



LGT 022
156
50



LGT 024
120
75



LGT 026
120
50

gulhane

gulhane

- E27
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- E27



LIGHT
34



LIGHT
34



330
140
LGT 030



300
35
LGT 031



110
60
LGT 033



140
35
LGT 032



77
30
LGT 035



110
46
LGT 034



40
34
LGT 037



100
20
LGT 036



250
75
LGT 038

dubia

dubia

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015

 CE

CE

 ISO 9001:2015
 230 V 50 Hz


 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34



340
120
LGT 039



95
34
LGT 041
90
34
LGT 040




95
55
LGT 043
130
34
LGT 042



93
60
LGT 045
130
34
LGT 044



95
34
LGT 047
90
34
LGT 046



330
130
LGT 048

agenensis

agenensis





LIGHT
34



LIGHT
34



300
110
LGT 049



100
30
LGT 051
77
30
LGT 050



90
50
LGT 053
130
30
LGT 052



280
30
LGT 054




280
30
LGT 055



330
130
LGT 056

ingens

ingens





LIGHT
34



LIGHT
34



280
95
LGT 057



68
27
LGT 059



65
47
LGT 061



78
50
LGT 063



110
30
LGT 065



280
95
LGT 066



120
27
LGT 058



76
27
LGT 060




86
30
LGT 062



120
30
LGT 064

julia

julia





LIGHT
34



LIGHT
34



280
95
LGT 067



120
27
LGT 068




68
27
LGT 069



76
27
LGT 070



65
47
LGT 071



50
78
LGT 072




120
30
LGT 073



280
95
LGT 074

montana

montana





LIGHT
34



LIGHT
34



265
85
LGT 075



68
25
LGT 077



40
38
LGT 079



59
38
LGT 081



280
90
LGT 083



38
25
LGT 076



100
25
LGT 078



40
36
LGT 080



38
25
LGT 082

- E27
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- E27



LIGHT
34



LIGHT
34



240
80
LGT 084



70
28
LGT 086



68
40
LGT 088



68
38
LGT 090



65
28
LGT 092



290
95
LGT 093



110
28
LGT 085



65
28
LGT 087



63
28
LGT 089



105
28
LGT 091

cretica

cretica





LIGHT
34



LIGHT
34



250
80
LGT 094



65
25
LGT 096



60
42
LGT 098



60
38
LGT 100



260
90
LGT 102



60
25
LGT 095



105
25
LGT 097



50
25
LGT 099



175
25
LGT 101

humilis

humilis





LIGHT
34



LIGHT
34



240
85
LGT 103



55
20
LGT 105



45
25
LGT 107



30
46
LGT 109



250
90
LGT 111



55
20
LGT 104



100
20
LGT 106



40
80
LGT 108



100
20
LGT 110

edulis

edulis

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015

 CE

CE

 ISO 9001:2015
 230 V 50 Hz

 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34



240
80
LGT 112



60
19
LGT 114



37
26
LGT 116



37
26
LGT 118



60
19
LGT 120



250
85
LGT 121



45
19
LGT 113



100
19
LGT 115



45
19
LGT 117



100
19
LGT 119

agenensis

agenensis

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015

 CE

CE

 ISO 9001:2015
 230 V 50 Hz

 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34

armena



240
60
LGT 122



62
18
LGT 124



41
25
LGT 126



28
43
LGT 128



64
23
LGT 130



240
75
LGT 131



46
18
LGT 123



100
18
LGT 125



105
23
LGT 127



55
23
LGT 129

agenensis

E27
 Aluminium Casting
 Electrostatic Painting
 IP55

 230 V 50 Hz
 ISO 9001:2015

 CE

CE

 ISO 9001:2015
 230 V 50 Hz


 IP55
 Electrostatic Painting
 Aluminium Casting
 E27



LIGHT
34



LIGHT
34



260
90
LGT 132



62
21
LGT 134



42
27
LGT 136



38
26
LGT 138



40
19
LGT 140



240
80
LGT 141



50
21
LGT 133



100
21
LGT 135





45
19
LGT 137



100
19
LGT 139

carinata

clusiana





LIGHT
34



LIGHT
34



300
100
LGT 142



82
29
LGT 144



77
48
LGT 146



55
33
LGT 148



70
24
LGT 150



300
70
LGT 151



68
29
LGT 143



110
29
LGT 145



100
24
LGT 147



55
24
LGT 149

moon

moon

LIGHT
34

LIGHT
34







300
120
LGT 152



300
95
LGT 154



280
90
LGT 156



300
110
LGT 158



260
90
LGT 160



260
90
LGT 162

poles




300
130
LGT 153



260
90
LGT 155



250
75
LGT 156



310
86
LGT 159



300
40
LGT 161



325
90
LGT 163

direkler

- E27
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- E27



260
80
LGT 164



265
95
LGT 166



280
68
LGT 168



370
110
LGT 170



260
90
LGT 172



230
80
LGT 174

poles



265
90
LGT 165



260
76
LGT 167



275
55
LGT 169



260
77
LGT 171



273
60
LGT 173



290
84
LGT 175

direkler

			IP55		230 V 50 Hz	ISO 9001:2015		CE
--	--	--	------	--	----------------	------------------	--	----

CE		ISO 9001:2015	230 V 50 Hz		IP55			
----	--	------------------	----------------	--	------	--	--	--



310
110

LGT 176



300
115

LGT 178



310
110

LGT 180



450
110

LGT 182



450
110

LGT 184



450
60

LGT 186

poles



340
45

LGT 177



300
50

LGT 179



330
30

LGT 181



350
130

LGT 183



350
110

LGT 185



450
120

LGT 187

direkler

			IP55		230 V 50 Hz	ISO 9001:2015		CE
--	--	--	------	--	----------------	---------------	--	----

CE		ISO 9001:2015	230 V 50 Hz		IP55			
----	--	---------------	----------------	--	------	--	--	--



500
210
LGT 188



500
175
LGT 190




500
190
LGT 192



400
130
LGT 194



360
140
LGT 196



320
130
LGT 198

poles



350
65
LGT 189



300
65
LGT 191



300
50
LGT 193



290
40
LGT 195



450
150
LGT 197



375
75
LGT 199

direkler


- E27
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- E27



500
210

LGT 200



500
175

LGT 202



500
190

LGT 204



400
130

LGT 206



360
140

LGT 208



320
130

LGT 210



350
65

LGT 201



300
65

LGT 203



300
50

LGT 205



290
40

LGT 207



450
150

LGT 209



450
150

LGT 211

poles

direkler

LED



IP55



230 V
50 Hz

ISO
9001:2015



CE

CE



ISO
9001:2015

230 V
50 Hz



IP55



LED



700
270

LGT 213



700
270

LGT 214



800
250

LGT 216



600
270

LGT 212



600
270

LGT 215



1000
350

LGT 217



700
150

LGT 218

poles

direkler

LED



IP55



230 V
50 Hz

ISO
9001:2015



CE

CE



ISO
9001:2015

230 V
50 Hz



IP55



LED

LIGHT
34



YOL AYDINLATMA DİREKLERİ

LIGHT
34



STREET LIGHTING POLE

LIGHT
34

LIGHT
34



YOL AYDINLATMA DİREKLERİ

STREET POLE



LED AYDINLATMA DİREKLERİ



LED LIGHTING POLE

poles

400
30

LGT 219



IP55



230 V
50 Hz

ISO
9001:2015



direkler

700
150

LGT 220



ISO
9001:2015

230 V
50 Hz




IP55



LED

poles




400
150

LGT 221

- LED
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

direkler





300
50

LGT 222

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- LED

poles

direkler



400
100

LGT 223


400
100

LGT 224

LED	Aluminium Casting	Electrostatic Painting	IP55	230 V 50 Hz	ISO 9001:2015	TSE	CE
-----	-------------------	------------------------	------	----------------	---------------	-----	----

CE	TSE	ISO 9001:2015	230 V 50 Hz	IP55	Electrostatic Painting	Aluminium Casting	LED
----	-----	---------------	----------------	------	------------------------	-------------------	-----


poles



400
40

LGT 225

- LED
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE



300
40

LGT 226

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- LED

direkler

poles




400
40

LGT 227

- LED
- Aluminium Casting
- Electrostatic Painting
- IP55
- 230 V 50 Hz
- ISO 9001:2015
- TSE
- CE

direkler



400
40



LGT 228

- CE
- TSE
- ISO 9001:2015
- 230 V 50 Hz
- IP55
- Electrostatic Painting
- Aluminium Casting
- LED

○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005

60W	6000lm - 6500lm	3000-4000K
90W	8400lm - 9100lm	3000-4000K
120W	10500lm - 11500lm	3000-4000K

Gövde: Alüminyum Enjeksiyon Gövde
 Body: Cast Aluminium Housing
 Gövde Boyası: Elektrostatik Toz Boya
 Body: Powder Coating
 Difüzör: Şeffaf Tamperli Cam
 Diffuser: Clear Tempered Glass




poles



LGT 229

direkler






LGT 230

○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005

60W

6000lm - 6500lm

3000-4000K



Özellikler

- Ana gövde St 37 Çelik Boru
- TS 914 ISO EN 1461 Sıcak Daldırma Galvanizli Elektrostatik Toz Boya
- Armatür Alüminyum
- Paslanmaz vidalar

Armatür

- IP 67
- Class II
- Alüminyum Enjeksiyon Döküm
- PMMA


Features

- The main body of St 37 steel pipe
- Hot dip TS 914 EN ISO 1461 Electrostatic Powder Paint Galvanized
- Sub-Qaida aluminum injection casting
- Aluminium Luminaire
- Stainless screws

Armature

- IP 67
- Class II
- Casting
- PMMA

Simetrik ışık dağılımı / Symmetrical light distribution





LGT 231

○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005

60W	6000lm - 6500lm	3000-4000K
70W	7000lm - 7700lm	3000-4000K

III	35-70-150W	A60	44-70W
TC-EL	22-70W	HIT-DE-CE	70-150W
TC-D/E	35-70-70W	HIST-DE	70-150W
		A45	46W

Özellikler

- Ana gövde St 37 Çelik Boru
- TS 914 ISO EN 1461 Sıcak Daldırma Galvanizli Elektrostatik Toz Boya
- Armatür Alüminyum
- Paslanmaz vidalar

Armatür

- IP 65
- Class II
- Alüminyum Enjeksiyon Döküm
- Tamperli cam


Features

- The main body of St 37 steel pipe
- Hot dip TS 914 EN ISO 1461 Electrostatic Powder Paint Galvanized
- Sub-Qaida aluminum injection casting
- Aluminium Luminaire
- Stainless screws

Armature

- IP 65
- Class II
- Casting
- Tempered Glass

3000-4000



Asimetrik ışık dağılımı / Asymmetrical light distribution





LGT 232

○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005

40W	4000lm - 4400lm	3000-4000K
60W	5900lm - 6600lm	3000-4000K

III	35-70-150W	A60	44-70W
TC-EL	22-70W	HIT-DE-CE	70-150W
TC-DE	35-70-70W	HIT-DE	70-150W
		A45	46W

Özellikler

- Ana gövde St 37 Çelik Boru
- TS 914 ISO EN 1461 Sıcak Daldırma Galvanizli Elektrostatik Toz Boya
- Armatür Alüminyum
- Paslanmaz vidalar

Armatür

- IP 65
- Class II
- Alüminyum Enjeksiyon Döküm
- Tamperli cam


Features

- The main body of St 37 steel pipe
- Hot dip TS 914 EN ISO 1461 Electrostatic Powder Paint Galvanized
- Sub-Qaida aluminum injection casting
- Aluminium Luminaire
- Stainless screws

Armature

- IP 65
- Class II
- Casting
- Tempered Glass

3000-4000



Asimetrik ışık dağılımı / Asymmetrical light distribution







LGT 233



○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005


60W	6000lm - 6500lm	3000-4000K
90W	8400lm - 9100lm	3000-4000K
120W	10500lm - 11500lm	3000-4000K

☛ HIT	35-70-150W 250W	☉ A60	44-70W
☐ TC-EL	22-70W	☐ HIT-DE-CE	70-150W
☐ TC-DE	35-70-70W	☐ HIT-DE	70-150W
		☉ A45	46W



Gövde: Alüminyum Enjeksiyon Gövde
Body: Cast Aluminium Housing
Gövde Boyası: Elektrostatik Toz Boya
Body: Powder Coating
Difüzör: Şeffaf Tamperli Cam
Diffuser: Clear Tempered Glass





LGT 234

○ RAL 9016 ● RAL 7741 ● RAL 9006 ● RAL 9005

30W	3000lm - 3400lm	3000-4000K
60W	6000lm - 6500lm	3000-4000K
90W	9000lm - 9900lm	3000-4000K

Özellikler

- Ana gövde St 37 Çelik Boru
- TS 914 ISO EN 1461 Sıcak Daldırma Galvanizli Elektrostatik Toz Boya
- Armatür Alüminyum
- Paslanmaz vidalar

Armatür


- IP 67
- Class II
- Alüminyum Enjeksiyon Döküm
- PMMA

Features

- The main body of St 37 steel pipe
- Hot dip TS 914 EN ISO 1461 Electrostatic Powder Paint Galvanized
- Sub-Qaida aluminum injection casting
- Aluminium Luminaire
- Stainless screws


Armature

- IP 67
- Class II
- Casting
- PMMA



3000-6000

Asimetrik ışık dağılımı / Asymmetrical light distribution





500
175

LGT 235



500
190

LGT 237



500
190

LGT 239



500
175

LGT 241



500
190

LGT 243



500
190

LGT 245

bollards



500
175

LGT 236



500
190

LGT 238




500
190

LGT 240



500
175

LGT 242



500
190

LGT 244



500
190

LGT 246

çim armatür

LED Aluminium Casting Electrostatic Painting IP55 230 V 50 Hz ISO 9001:2015 TSE CE

CE TSE ISO 9001:2015 230 V 50 Hz IP55 Electrostatic Painting Aluminium Casting LED



500
175

LGT 247



500
190

LGT 249



500
190

LGT 251



500
175

LGT 253



500
190

LGT 255



500
190

LGT 257

bollards



500
175

LGT 248



500
190

LGT 250



500
190

LGT 252



500
175

LGT 254



500
190

LGT 256



500
190

LGT 258

çim armatür



LIGHT
34

LIGHT
34

GÜLHANE PARKI





160
87

LGT 259



140
87

LGT 261



120
50

LGT 263



105
41

LGT 266



105
40

LGT 268



120
80

LGT 260



115
77

LGT 262



106
45

LGT 264



256
90

LGT 265



110
41

LGT 267



120
41

LGT 269

fountain

çeşmeler



ISO
9001:2015



ISO
9001:2015





96
47

LGT 270



96
47

LGT 272



77
25

LGT 274



90
37

LGT 271



83
29

LGT 273



93
38

LGT 275



KG
300

300
125

LGT 276

fountain

çeşmeler



ISO
9001:2015



ISO
9001:2015





82
76

LGT 277



122
41

LGT 279



100
55

LGT 281



64
30

LGT 283



62
25

LGT 285



50
25

LGT 287

trash

sinir elamani



115
57

LGT 278



115
57

LGT 280



100
55

LGT 282



80
15

LGT 284



105
32

LGT 286



80
19

LGT 288



ISO
9001:2015



ISO
9001:2015





80
128

LGT 289



80
128

LGT 291



90
110

LGT 293



82
155

LGT 295

bench

bank



79
145

LGT 290



79
150

LGT 292



74
140

LGT 294



93
142

LGT 296





93
44

LGT 297



79
46

LGT 299



87
44

LGT 301



73
63

LGT 303



90
73

LGT 304



74
73

LGT 305

chair



90
57

LGT 298



87
42

LGT 300



94
47

LGT 302



73
160

LGT 306

masa



ISO
9001:2015



ISO
9001:2015



Trade & Market



Main Markets	Total Revenue (%)
Mid East	45.00%
South Asia	15.00%
Eastern Asia	10.00%
Africa	10.00%
Southern Europe	10.00%
Eastern Europe	5.00%
Southeast Asia	5.00%

LIGHT34 AYDINLATMA SAN. VE TIC. LTD. STI.

Ikitelli O.S.B. Triko Dokumacılar San. Sitesi M9 blok No: 9
BASAKSEHIR / ISTANBUL

TELEPHONE

+90 212 485 55 11
+90 212 671 55 12
mobil + 90 545 281 28 34

E-MAIL


export@light34.com
info@light34.com


WEB

light34.com
aydinlatmax.com
bahceaydinlatma.com


B2B

light34.trustpass.alibaba.com





if you can dream it,
you can do it.



LIGHT
34



Everything begins
with a dream

LIGHT
34



DÖKÜMHANE

CASTING